

Item Code	Voltage	Capacitance	Frequency	Rated capacity	Current	Group	Diamension			Weight
	KV	Kvar	KHZ	Uf	A		Length	Width	Hight	kg
RFM0.375-750-1S	0.375	750	1	848.8	2000	10	440	207	436	57
RFM0.375-1000-8S	0.375	1000	8	141.5	2667	10	336	142	240	20
RFM0.5-180-1AF	0.5	180	1	114.6	360	3	336	142	230	17
RFM0.65-1000-20S	0.65	1000	20	18.8	1538	8	336	120	230	16
RFM0.65-1000-50S	0.65	1000	50	7.5	1538	6	303	120	220	14
RFM0.65-1000-70S	0.65	1000	70	5.4	1538	8	336	120	260	18
RFM0.75-1000-1S	0.75	1000	1	282.9	1333	6	336	142	400	28
RFM ₃ 0.75-1000-1S	0.75	1000	1	282.9	1333	6	336	166	325	27
RFM ₅ 0.75-1000-1S	0.75	1000	1	282.9	1333	6	336	166	350	28
RFM ₆ 0.75-1000-1S	0.75	1000	1	282.9	1333	6	336	166	270	23
RFM0.75-1000-2.5S	0.75	1000	2.5	113.2	1333	6	336	142	240	18
RFM0.75-1000-4S	0.75	1000	4	70.7	1333	6	336	142	240	17
RFM0.75-1000-6S	0.75	1000	6	47.2	1333	6	336	142	240	17
RFM0.75-1000-8S	0.75	1000	8	35.4	1333	6	336	142	210	16
RFM0.75-1000-10S	0.75	1000	10	28.3	1333	6	336	142	210	16
RFM0.75-1000-30S	0.75	1000	30	9.4	1333	6	303	120	150	10

Item Code	Voltage	Capacitance	Frequency	Rated capacity	Current	Group	Diamension			Weight
	KV	Kvar	KHZ	Uf	A		Length	Width	Hight	kg
RFM0.75-1500-1S	0.75	1500	1	424.4	2000	8	440	166	350	38
RFM0.75-2000-2.5S	0.75	2000	2.5	226.4	2667	10	440	166	395	41
RFM0.75-2000-4S	0.75	2000	4	141.5	2667	10	336	142	365	27
RFM ₂ 0.75-2000-8S	0.75	2000	8	70.7	2667	10	440	120	260	23
RFM1.0-1000-0.5S	1	1000	0.5	318.3	1000	6	440	166	340	35
RFM1.0-1508-3S	1	1508	3	80.0	1508	6	336	126	360	22
RFM1.0-2000-1S	1	2000	1	318.3	2000	8	440	166	350	37
RFM1.2-1400-0.7S	1.2	1400	0.7	221.0	1167	6	440	166	325	33
RFM1.2-2000-0.5S	1.2	2000	0.5	442.1	1667	8	440	207	436	55
RFM ₃ 1.2-2000-1S	1.2	2000	1	221.0	1667	8	440	166	325	34
RFM1.4-2000-0.5S	1.4	2000	0.5	324.8	1429	8	440	207	436	54
RFM ₃ 1.5-2000-1S	1.5	2000	1	141.5	1333	6	336	166	390	30
RFM1.5-2000-2.5S	1.5	2000	2.5	56.6	1333	6	336	142	400	26
RFM ₃ 1.5-3000-1S	1.5	3000	1	212.2	2000	8	440	207	340	42
RFM1.5-3000-2.5S	1.5	3000	2.5	84.9	2000	10	440	166	365	37
RFM ₈ 1.6-2000-0.5S	1.6	2000	0.5	248.8	1250	6	390	205	430	46

Item Code	Voltage	Capacitance	Frequency	Rated capacity	Current	Group	Diamension			Weight
	KV	Kvar	KHZ	Uf	A		Length	Width	Hight	kg
RAM1.7-1500-0.15AF	1.7	1500	0.15	550.7	882	4	440	205	635	76
RFM ₈ 1.7-1500-0.25S	1.7	1500	0.25	330.6	882	4	390	205	615	62
RAM ₃ 1.7-1500-0.25AF	1.7	1500	0.25	330.4	882	4	390	175	545	51
RFM1.7-2000-0.5S	1.7	2000	0.5	220.3	1176	6	440	207	436	52
RAM1.7-3000-0.25AF	1.7	3000	0.25	660.9	1765	8	440	285	595	101
RFM1.8-3000-1S	1.8	3000	1	147.4	1667	8	440	166	436	43
RAM2.8-3000-0.3S	2.8	3000	0.3	203.0	1071	1	440	205	650	73
RAM2.8-5000-0.5S	2.8	5000	0.5	203.0	1786	1	390	205	760	76
RAM3.0-2880-0.5S	3	2880	0.5	101.9	960	1	390	205	510	55
RAM3.0-3000-0.5S	3	3000	0.5	106.1	1000	1	390	205	500	51
RAM3.5-3000-0.3S	3.5	3000	0.3	129.9	857	1	390	205	790	84
RFM4.4-7260-0.6S	4.4	7260	0.6	99.5	1650	1	561	191	880	122
RFM3.0-1108-20S	3	1108	20	0.98	369	1	303	126	180	11
RFM4.0-965×2-30S	4	1930	30	0.64	483	2	260	120	110	7
RFM4.0-2895-30S	4	2895	30	0.96	724	1	303	126	220	12
RFM4.0-3619-30S	4	3619	30	1.20	905	1	303	142	210	13

Item Code	Voltage	Capacitance	Frequency	Rated capacity	Current	Group	Diamension			Weight
	KV	Kvar	KHZ	Uf	A		Length	Width	Hight	kg
RFM4.0-4524-30S	4	4524	30	1.50	1131	1	336	145	220	16
RFM4.5-1530-15S	4.5	1530	15	0.80	339	1	303	126	250	15

电容器型号	额定电压	额定容量	额定频率	额定电容	电流	组数	
	KV	Kvar	KHZ	Uf	A		长
DZMJ0.86-1600S	0.86			1600	1000	1	320
DZMJ0.86-1850S	0.86			1850	1200	1	320
DZMJ0.86-3000S	0.86			3000	1500	1	440
DZMJ0.9-4000S	0.9			4000	1600	1	440
DZMJ0.9-5000S	0.9			5000	2000	1	440
DZMJ1.2-1850S	1.2			1850	1200	1	340
DZMJ1.2-2600S	1.2			2600	1200	1	440
DZMJ1.2-3000S	1.2			3000	1200	1	390
DZMJ1.2-4000S	1.2			4000	1600	1	440
DZMJ1.2-5000S	1.2			5000	2000	1	440
DZMJ1.5-1950S	1.5			1950	1000	1	440
DZMJ1.8-1850S	1.8			1850	1000	1	343

箱壳尺寸		单台重
宽	高	kg/台
135	475	26
135	530	29
135	490	36
190	380	39
190	545	55
190	500	38
140	595	44
190	650	59
190	575	58
190	685	68
140	775	57
238	780	71